As suppliers of building and civil SEALANT OVER FIXINGS engineering products Parchem Construction Supplies Pty Ltd do not offer a design service. Information in this drawing is a suggestion only and must not be used for construction except SILICONE SEAL AND BACKING ROD as a signed off drawing by the specifier or contractor WATERSTOP ANGLE RETURNED -FINISHED FLOOR LEVEL (INTERNAL) WEEPHOLES -SILL -PVC SILL FLIP -WATERSTOP ANGLE **EMER-PROOF** MEMBRANE FOR HEIGHT SEE Δ AS 4654.2-2012, -PACKERS TO SUIT APPENDIX A, TABLE A 1 INSTALLATION APPROPRIATE OVER-SEALING WITH FIXING FINISHED FLOOR LEVEL (EXTERNAL) NOTES: 1. NO SUB-SILL IS INSTALLED FILLET 2. SEAL BETWEEN SILL, PACKER AND MEMBRANE BEFORE DRILLING FIXING HOLES NOTE: FOR FALLS, SEE AS 4654.2 - 2012, CLAUSE 2.5.2

MEMBRANE TERMINATION AT EXTERNAL OPENING DOORS (b) (ii) NO SUB-SILL

SCALE:- NTS

DRAWN BY:- MN

DATE:- 1/3/13

LATEST AMENDMENT:- PJ

DATE:- 12/08/19



ISSUE NUMBER 3

PARCHEM CONSTRUCTION SUPPLIES 7 LUCCA ROAD, WYONG

www.emer.com.au 1300 283 668